OLCONTAINERS


in Tro 🛛 u 🖬 n 🗆 ...

OLCONALES

providing a simple, easy-to-use and error-free solution to store, identify, transport and dispense lubricants

Spectrum Oil Containers offer users an excellent way to keep lubricants free from dust, dirt, water and other machine-damaging contaminants. They play an important role in the lubrication supply chain, especially between bulk containers and top-off points, which industry experts indicate to be the most common source of contamination.

Don't risk pouring contaminated lubricants into your machinery... use Trico's Spectrum Oil Containers.







COLOR SYSTEM

The Spectrum[®] Oil Containers promote a fully integrated visual lubrication management system that improves productivity and efficiency. The system enables operators to identify lubricants, while ensuring accurate and consistent delivery.

up to 100 color options

The Spectrum Oil Container lids are available in 10 colors. In addition, a secondary color option is available with the Breather Vent. Secondary colors can be used when there are more than 10 different lubricant types within the plant to identify. Other usages for secondary colors are to indicate viscosity grade, lubrication frequency, or base oil type.



All Spectrum[®] Oil Container lids are interchangeable with the containers. Lids contain a Buna-N o-ring to seal lubricant from the external environment. The nozzle on each lid containstextured areas that provide a comfortable slip-resistant grip.

LIDS

			-		Yellow	Red	Blue	Green	Black	Orange	Purple	Gray	Tan	Dark Green
					34420	34421	34422	34423	34424	34425	34426	34427	34428	34429
wh	Visc	for use w osities u ise pouri	to ISO 4	460 or	1/"	na		еЦ	C 4		3			
llow	Red	Blue	Green	Black	Orange	Purple	Gray		Dark Green		-	1.	2	
4410	34411	34412	34413	34414	34415	34416 3	34417	34418	34419					and the
113									-	2.12.4				
			R	E	7 , , 4	'nc		eL	ID{	Ideal fo reservoi	r control irs or fille	led pour er holes.	ring into	small
			R	E	, r 4 Yellow		Blue	eL	1	Ideal fo reservoi	r control rs or fille Purple	led pour er holes. Gray	ring into	small Dark Green

ACCESSORIES

pumpst or age LID

This multi-purpose lid allows rapid pouring of oils, making it ideal for topping off machinery such as crankcases or large engine blocks. Fitting the Hand Pump to the Pump Storage Lid will allow lubricant to be pumped out of 2, 3, and 4 gallon containers.

Yellow	Red	Blue	Green	Black	Orange	Purple	Gray	Tan	Dark Green
34430	34431	34432	34433	34434	34435	34436	34437	34438	34439

handpump

Ideal for awkward or hard to reach oil top-off applications such as gearboxes, lathes, and milling machines. Supplied with outlet hose and anti-drip nozzle. Smply fit the Hand Pump to a Pump Storage Lid and mate with a 2, 3, or 4 gallon container.





breather vent

The Breather Vent is available in ten colors to coordinate of color or to use as a secondary color option (ex. for identifying viscosity grade, lubrication frequency, or base oil type). All 2, 3, 4 gallon containers are supplied with a black Breather Vent as standard.

Black	Yellow	Red	Blue	Green	Orange	Purple	Gray	Tan	Dark Green	-
24010	24011	24012	24013	24014	24015	24016	24017	24018	24019	

CONTAINERS

These robust and durable containers feature a wide opening for rapid no-spill filling and will fit any lid. The containers are semi-transparent with graduated markings along the side making lubricant level easy to see. Each container comes with a writable "CONTENTS" label to provide easy identification of lubricant type.

Specifications

Temperature Range


Material

-40°(F) to 176°(F) High Density Polyethylene (HDPE) with Ultraviolet (UV) stabilizers

ter) (15 liter)
lon 4 gallon



The Spectrum® Oil Containers are part of the Spectrum Visual Lubrication Management of products that use color coding to ensure the correct lubricant is used in the right piece of equipment and in the proper location. Combine Spectrum Oil Containers with other Spectrum products for exective lubrication management from storage to point of use.



OLCONTAINERS



Trico Corporation 1235 Hickory St. | Pewaukee, WI 53072 262-691-9336 / 800-558-7008 w w.tr iCOCCr p.com